



| Edgework, Corner, and Radius Guide

| Edgework




Monolithic Glass

TYPE	DESCRIPTION	GLASS THICKNESS
Seamed	The sharp edges of the glass are removed by a belt seamer.	Available in all thicknesses.
Flat Ground	This is a machine edge of flat form with arrised edges and a satin flat finish. Available for all rectangular and curved shapes.	1/8" - 3/4"
Flat Polished	This is a machine edge of flat form with arrised edges and a shiny flat polish. Available for all rectangular and curved shapes.	1/8" - 3/4"
Mitered (Front Miter) / (Back Miter)	This is a flat machined polished edge cut on an angle with small arris at the tip.	1/4" - 3/4"



Edgework

Laminated Glass

TYPE	DESCRIPTION		GLASS THICKNESS
Seamed	The sharp edges of the glass are removed by a belt seamer.		Available in all thicknesses.
Pre-Lamination Polish	Edges are polished before lamination.		Available for 1/8" - 3/4" individual lite thicknesses.
Post-Lamination Polish	Edges are polished after lamination.		Available up to 60mm overall lami thickness.



| Corners

Corners

TYPE

DESCRIPTION


Dubbed Corner

The smallest radius available at 3/32".




Bump / Touch Corner

A "touch"/"bump" corner which is a 1/16" tap on the corner of the glass to dull the edges (so the edges aren't sharp).



Crop Corner


A crop corner is similar to a touch corner, but the size is specified by the customer. Crop corners can be polished or ground.



Radius Corner Guide

PRINT AT 100% SCALE

Cut along the lines and use this to measure the radius required



U.S. DIME
0.70" (DIAMETER)



U.S. QUARTER
0.95" (DIAMETER)

