

Quantity: _____

Markings: _____

Purchaser Name: _____

Purchaser Address: _____

Quote Reference #: _____

Purchase Order #: _____

Job Name: _____

Quote

Order

Date: _____

Glass Type:

- Clear
- Low Iron
- Acid Etch Clear
(Velour finish is standard, typically surface 1)
 - Surface 1 (outside)
 - Surface 2 (inside)
- Acid Etch Low Iron
(Velour finish is standard, typically surface 1)
 - Surface 1 (outside)
 - Surface 2 (inside)
- Clarvista Clear
 - Surface 2 (inside) always
- Clarvista Starphire
 - Surface 2 (inside) always
- Bronze
- Gray
- Niagara/Rain (only available in 3/8")
 - Surface 1 (outside)
 - Surface 2 (inside)
- Other: _____

Glass Thickness:

- 3/8" (10mm)
- 1/2" (12mm)
- Other: _____

Tempering Logo Placement:

- Logo
(please advise corner on each drawing)
- No Logo



Edgework:

- Polish all
- Polish 2 heights (vertical)
- Polish 2 widths (horizontal)
- Seam all
- Other, please specify by marking on drawing.

Options include: flat polish, flat grind, seamed & mitered. Please specify front of back, and degree of each miter on drawing.

Notes/Special Instructions:

- Please clarify any square or out of square (oos) corners.
- All drawings are shown from surface 1 (exterior of door).



Quantity: _____

Markings: _____

Purchaser Name: _____

Purchaser Address: _____

Quote Reference #: _____

Purchase Order #: _____

Job Name: _____

Quote

Order

Date: _____

Glass Type:

- Clear
- Low Iron
- Acid Etch Clear
(Velour finish is standard, typically surface 1)
 - Surface 1 (outside)
 - Surface 2 (inside)
- Acid Etch Low Iron
(Velour finish is standard, typically surface 1)
 - Surface 1 (outside)
 - Surface 2 (inside)
- Clarvista Clear
 - Surface 2 (inside) always
- Clarvista Starphire
 - Surface 2 (inside) always
- Bronze
- Gray
- Niagara/Rain (only available in 3/8")
 - Surface 1 (outside)
 - Surface 2 (inside)
- Other: _____

Glass Thickness:

- 3/8" (10mm)
- 1/2" (12mm)
- Other: _____

Tempering Logo Placement:

- Logo
(please advise corner on each drawing)
- No Logo



Edgework:

- Polish all
- Polish 2 heights (vertical)
- Polish 2 widths (horizontal)
- Seam all
- Other, please specify by marking on drawing.

Options include: flat polish, flat grind, seamed & mitered. Please specify front of back, and degree of each miter on drawing.

Notes/Special Instructions:

- Please clarify any square or out of square (oos) corners.
- All drawings are shown from surface 1 (exterior of door).



Quantity: _____ Markings: _____

Purchaser Name: _____

Purchaser Address: _____

Quote Reference #: _____

Purchase Order #: _____

Job Name: _____

Quote

Order

Date: _____

Glass Type:

- Clear
- Low Iron
- Acid Etch Clear
(Velour finish is standard, typically surface 1)
 - Surface 1 (outside)
 - Surface 2 (inside)
- Acid Etch Low Iron
(Velour finish is standard, typically surface 1)
 - Surface 1 (outside)
 - Surface 2 (inside)
- Clarvista Clear
 - Surface 2 (inside) always
- Clarvista Starphire
 - Surface 2 (inside) always
- Bronze
- Gray
- Niagara/Rain (only available in 3/8")
 - Surface 1 (outside)
 - Surface 2 (inside)
- Other: _____

Glass Thickness:

- 3/8" (10mm)
- 1/2" (12mm)
- Other: _____

Tempering Logo Placement:

- Logo
(please advise corner on each drawing)
- No Logo



Edgework:

- Polish all
- Polish 2 heights (vertical)
- Polish 2 widths (horizontal)
- Seam all
- Other, please specify by marking on drawing.

Options include: flat polish, flat grind, seamed & mitered. Please specify front of back, and degree of each miter on drawing.

Notes/Special Instructions:

- Please clarify any square or out of square (oos) corners.
- All drawings are shown from surface 1 (exterior of door).



Quantity: _____

Markings: _____

Purchaser Name: _____

Purchaser Address: _____

Quote Reference #: _____

Purchase Order #: _____

Job Name: _____

Quote

Order

Date: _____

Glass Type:

- Clear
- Low Iron
- Acid Etch Clear
(Velour finish is standard, typically surface 1)
 - Surface 1 (outside)
 - Surface 2 (inside)
- Acid Etch Low Iron
(Velour finish is standard, typically surface 1)
 - Surface 1 (outside)
 - Surface 2 (inside)
- Clarvista Clear
 - Surface 2 (inside) always
- Clarvista Starphire
 - Surface 2 (inside) always
- Bronze
- Gray
- Niagara/Rain (only available in 3/8")
 - Surface 1 (outside)
 - Surface 2 (inside)
- Other: _____

Glass Thickness:

- 3/8" (10mm)
- 1/2" (12mm)
- Other: _____

Tempering Logo Placement:

- Logo
(please advise corner on each drawing)
- No Logo



Edgework:

- Polish all
- Polish 2 heights (vertical)
- Polish 2 widths (horizontal)
- Seam all
- Other, please specify by marking on drawing.

Options include: flat polish, flat grind, seamed & mitered. Please specify front of back, and degree of each miter on drawing.

Notes/Special Instructions:

- Please clarify any square or out of square (oos) corners.
- All drawings are shown from surface 1 (exterior of door).



Quantity: _____

Markings: _____

Purchaser Name: _____

Purchaser Address: _____

Quote Reference #: _____

Purchase Order #: _____

Job Name: _____

Quote

Order

Date: _____

Glass Type:

- Clear
- Low Iron
- Acid Etch Clear
(Velour finish is standard, typically surface 1)
 - Surface 1 (outside)
 - Surface 2 (inside)
- Acid Etch Low Iron
(Velour finish is standard, typically surface 1)
 - Surface 1 (outside)
 - Surface 2 (inside)
- Clarvista Clear
 - Surface 2 (inside) always
- Clarvista Starphire
 - Surface 2 (inside) always
- Bronze
- Gray
- Niagara/Rain (only available in 3/8")
 - Surface 1 (outside)
 - Surface 2 (inside)
- Other: _____

Glass Thickness:

- 3/8" (10mm)
- 1/2" (12mm)
- Other: _____

Tempering Logo Placement:

- Logo
(please advise corner on each drawing)
- No Logo


Edgework:

- Polish all
- Polish 2 heights (vertical)
- Polish 2 widths (horizontal)
- Seam all
- Other, please specify by marking on drawing.

Options include: flat polish, flat grind, seamed & mitered. Please specify front of back, and degree of each miter on drawing.

Notes/Special Instructions:

- Please clarify any square or out of square (oos) corners.
- All drawings are shown from surface 1 (exterior of door).



Quantity: _____

Markings: _____

Purchaser Name: _____

Purchaser Address: _____

Quote Reference #: _____

Purchase Order #: _____

Job Name: _____

Quote

Order

Date: _____

Glass Type:

- Clear
- Low Iron
- Acid Etch Clear
(Velour finish is standard, typically surface 1)
 - Surface 1 (outside)
 - Surface 2 (inside)
- Acid Etch Low Iron
(Velour finish is standard, typically surface 1)
 - Surface 1 (outside)
 - Surface 2 (inside)
- Clarvista Clear
 - Surface 2 (inside) always
- Clarvista Starphire
 - Surface 2 (inside) always
- Bronze
- Gray
- Niagara/Rain (only available in 3/8")
 - Surface 1 (outside)
 - Surface 2 (inside)
- Other: _____

Glass Thickness:

- 3/8" (10mm)
- 1/2" (12mm)
- Other: _____

Tempering Logo Placement:

- Logo
(please advise corner on each drawing)
- No Logo



Edgework:

- Polish all
- Polish 2 heights (vertical)
- Polish 2 widths (horizontal)
- Seam all
- Other, please specify by marking on drawing.

Options include: flat polish, flat grind, seamed & mitered. Please specify front of back, and degree of each miter on drawing.

Notes/Special Instructions:

- Please clarify any square or out of square (oos) corners.
- All drawings are shown from surface 1 (exterior of door).



Quantity: _____

Markings: _____

Purchaser Name: _____

Purchaser Address: _____

Quote Reference #: _____

Purchase Order #: _____

Job Name: _____

Quote

Order

Date: _____

Glass Type:

- Clear
- Low Iron
- Acid Etch Clear
(Velour finish is standard, typically surface 1)
 - Surface 1 (outside)
 - Surface 2 (inside)
- Acid Etch Low Iron
(Velour finish is standard, typically surface 1)
 - Surface 1 (outside)
 - Surface 2 (inside)
- Clarvista Clear
 - Surface 2 (inside) always
- Clarvista Starphire
 - Surface 2 (inside) always
- Bronze
- Gray
- Niagara/Rain (only available in 3/8")
 - Surface 1 (outside)
 - Surface 2 (inside)
- Other: _____

Glass Thickness:

- 3/8" (10mm)
- 1/2" (12mm)
- Other: _____

Tempering Logo Placement:

- Logo
(please advise corner on each drawing)
- No Logo



Edgework:

- Polish all
- Polish 2 heights (vertical)
- Polish 2 widths (horizontal)
- Seam all
- Other, please specify by marking on drawing.

Options include: flat polish, flat grind, seamed & mitered. Please specify front of back, and degree of each miter on drawing.

Notes/Special Instructions:

- Please clarify any square or out of square (oos) corners.
- All drawings are shown from surface 1 (exterior of door).



Quantity: _____

Markings: _____

Purchaser Name: _____

Purchaser Address: _____

Quote Reference #: _____

Purchase Order #: _____

Job Name: _____

Quote

Order

Date: _____

Glass Type:

- Clear
- Low Iron
- Acid Etch Clear
(Velour finish is standard, typically surface 1)
 - Surface 1 (outside)
 - Surface 2 (inside)
- Acid Etch Low Iron
(Velour finish is standard, typically surface 1)
 - Surface 1 (outside)
 - Surface 2 (inside)
- Clarvista Clear
 - Surface 2 (inside) always
- Clarvista Starphire
 - Surface 2 (inside) always
- Bronze
- Gray
- Niagara/Rain (only available in 3/8")
 - Surface 1 (outside)
 - Surface 2 (inside)
- Other: _____

Glass Thickness:

- 3/8" (10mm)
- 1/2" (12mm)
- Other: _____

Tempering Logo Placement:

- Logo
(please advise corner on each drawing)
- No Logo



Edgework:

- Polish all
- Polish 2 heights (vertical)
- Polish 2 widths (horizontal)
- Seam all
- Other, please specify by marking on drawing.

Options include: flat polish, flat grind, seamed & mitered. Please specify front of back, and degree of each miter on drawing.

Notes/Special Instructions:

- Please clarify any square or out of square (oos) corners.
- All drawings are shown from surface 1 (exterior of door).



Quantity: _____ Markings: _____

Purchaser Name: _____

Purchaser Address: _____

Quote Reference #: _____

Purchase Order #: _____

Job Name: _____

Quote

Order

Date: _____

Glass Type:

- Clear
- Low Iron
- Acid Etch Clear
(Velour finish is standard, typically surface 1)
 - Surface 1 (outside)
 - Surface 2 (inside)
- Acid Etch Low Iron
(Velour finish is standard, typically surface 1)
 - Surface 1 (outside)
 - Surface 2 (inside)
- Clarvista Clear
 - Surface 2 (inside) always
- Clarvista Starphire
 - Surface 2 (inside) always
- Bronze
- Gray
- Niagara/Rain (only available in 3/8")
 - Surface 1 (outside)
 - Surface 2 (inside)
- Other: _____

Glass Thickness:

- 3/8" (10mm)
- 1/2" (12mm)
- Other: _____

Tempering Logo Placement:

- Logo
(please advise corner on each drawing)
- No Logo



Edgework:

- Polish all
- Polish 2 heights (vertical)
- Polish 2 widths (horizontal)
- Seam all
- Other, please specify by marking on drawing.

Options include: flat polish, flat grind, seamed & mitered. Please specify front of back, and degree of each miter on drawing.

Notes/Special Instructions:

- Please clarify any square or out of square (oos) corners.
- All drawings are shown from surface 1 (exterior of door).



Quantity: _____

Markings: _____

Purchaser Name: _____

Purchaser Address: _____

Quote Reference #: _____

Purchase Order #: _____

Job Name: _____

Quote

Order

Date: _____

Glass Type:

- Clear
- Low Iron
- Acid Etch Clear
(Velour finish is standard, typically surface 1)
 - Surface 1 (outside)
 - Surface 2 (inside)
- Acid Etch Low Iron
(Velour finish is standard, typically surface 1)
 - Surface 1 (outside)
 - Surface 2 (inside)
- Clarvista Clear
 - Surface 2 (inside) always
- Clarvista Starphire
 - Surface 2 (inside) always
- Bronze
- Gray
- Niagara/Rain (only available in 3/8")
 - Surface 1 (outside)
 - Surface 2 (inside)
- Other: _____

Glass Thickness:

- 3/8" (10mm)
- 1/2" (12mm)
- Other: _____

Tempering Logo Placement:

- Logo
(please advise corner on each drawing)
- No Logo


Edgework:

- Polish all
- Polish 2 heights (vertical)
- Polish 2 widths (horizontal)
- Seam all
- Other, please specify by marking on drawing.

Options include: flat polish, flat grind, seamed & mitered. Please specify front of back, and degree of each miter on drawing.

Notes/Special Instructions:

- Please clarify any square or out of square (oos) corners.
- All drawings are shown from surface 1 (exterior of door).



Quantity: _____

Markings: _____

Purchaser Name: _____

Purchaser Address: _____

Quote Reference #: _____

Purchase Order #: _____

Job Name: _____

Quote

Order

Date: _____

Glass Type:

- Clear
- Low Iron
- Acid Etch Clear
(Velour finish is standard, typically surface 1)
 - Surface 1 (outside)
 - Surface 2 (inside)
- Acid Etch Low Iron
(Velour finish is standard, typically surface 1)
 - Surface 1 (outside)
 - Surface 2 (inside)
- Clarvista Clear
 - Surface 2 (inside) always
- Clarvista Starphire
 - Surface 2 (inside) always
- Bronze
- Gray
- Niagara/Rain (only available in 3/8")
 - Surface 1 (outside)
 - Surface 2 (inside)
- Other: _____

Glass Thickness:

- 3/8" (10mm)
- 1/2" (12mm)
- Other: _____

Tempering Logo Placement:

- Logo
(please advise corner on each drawing)
- No Logo


Edgework:

- Polish all
- Polish 2 heights (vertical)
- Polish 2 widths (horizontal)
- Seam all
- Other, please specify by marking on drawing.

Options include: flat polish, flat grind, seamed & mitered. Please specify front of back, and degree of each miter on drawing.

Notes/Special Instructions:

- Please clarify any square or out of square (oos) corners.
- All drawings are shown from surface 1 (exterior of door).



Quantity: _____

Markings: _____

Purchaser Name: _____

Purchaser Address: _____

Quote Reference #: _____

Purchase Order #: _____

Job Name: _____

Quote

Order

Date: _____

Glass Type:

- Clear
- Low Iron
- Acid Etch Clear
(Velour finish is standard, typically surface 1)
 - Surface 1 (outside)
 - Surface 2 (inside)
- Acid Etch Low Iron
(Velour finish is standard, typically surface 1)
 - Surface 1 (outside)
 - Surface 2 (inside)
- Clarvista Clear
 - Surface 2 (inside) always
- Clarvista Starphire
 - Surface 2 (inside) always
- Bronze
- Gray
- Niagara/Rain (only available in 3/8")
 - Surface 1 (outside)
 - Surface 2 (inside)
- Other: _____

Glass Thickness:

- 3/8" (10mm)
- 1/2" (12mm)
- Other: _____

Tempering Logo Placement:

- Logo
(please advise corner on each drawing)
- No Logo

Edgework:

- Polish all
- Polish 2 heights (vertical)
- Polish 2 widths (horizontal)
- Seam all
- Other, please specify by marking on drawing.

Options include: flat polish, flat grind, seamed & mitered. Please specify front of back, and degree of each miter on drawing.

Notes/Special Instructions:

- Please clarify any square or out of square (oos) corners.
- All drawings are shown from surface 1 (exterior of door).

Purchaser Name: _____

Purchaser Address: _____

Quote Reference #: _____

Purchase Order #: _____

Job Name: _____

Quote

Order

Date: _____

Glass Type:

- Clear
- Low Iron
- Acid Etch Clear
(Velour finish is standard, typically surface 1)
 - Surface 1 (outside)
 - Surface 2 (inside)
- Acid Etch Low Iron
(Velour finish is standard, typically surface 1)
 - Surface 1 (outside)
 - Surface 2 (inside)
- Clarvista Clear
 - Surface 2 (inside) always
- Clarvista Starphire
 - Surface 2 (inside) always
- Bronze
- Gray
- Niagara/Rain (only available in 3/8")
 - Surface 1 (outside)
 - Surface 2 (inside)
- Other: _____

Glass Thickness:

- 3/8" (10mm)
- 1/2" (12mm)
- Other: _____

Tempering Logo Placement:

- Logo
(please advise corner on each drawing)
- No Logo


Edgework:

- Polish all
- Polish 2 heights (vertical)
- Polish 2 widths (horizontal)
- Seam all
- Other, please specify by marking on drawing.



Options include: flat polish, flat grind, seamed & mitered. Please specify front of back, and degree of each miter on drawing.

Notes/Special Instructions:

- Please clarify any square or out of square (oos) corners.
- All drawings are shown from surface 1 (exterior of door).



Quantity: _____ Markings: _____



Quantity: _____ Markings: _____

Purchaser Name: _____

Purchaser Address: _____

Quote Reference #: _____

Purchase Order #: _____

Job Name: _____

Quote

Order

Date: _____

Glass Type:

- Clear
- Low Iron
- Acid Etch Clear
(Velour finish is standard, typically surface 1)
 - Surface 1 (outside)
 - Surface 2 (inside)
- Acid Etch Low Iron
(Velour finish is standard, typically surface 1)
 - Surface 1 (outside)
 - Surface 2 (inside)
- Clarvista Clear
 - Surface 2 (inside) always
- Clarvista Starphire
 - Surface 2 (inside) always
- Bronze
- Gray
- Niagara/Rain (only available in 3/8")
 - Surface 1 (outside)
 - Surface 2 (inside)
- Other: _____

Glass Thickness:

- 3/8" (10mm)
- 1/2" (12mm)
- Other: _____

Tempering Logo Placement:

- Logo
(please advise corner on each drawing)
- No Logo



Edgework:

- Polish all
- Polish 2 heights (vertical)
- Polish 2 widths (horizontal)
- Seam all
- Other, please specify by marking on drawing.

Options include: flat polish, flat grind, seamed & mitered. Please specify front of back, and degree of each miter on drawing.

Notes/Special Instructions:

- Please clarify any square or out of square (oos) corners.
- All drawings are shown from surface 1 (exterior of door).



Quantity: _____

Markings: _____

Purchaser Name: _____

Purchaser Address: _____

Quote Reference #: _____

Purchase Order #: _____

Job Name: _____

Quote

Order

Date: _____

Glass Type:

- Clear
- Low Iron
- Acid Etch Clear
(Velour finish is standard, typically surface 1)
 - Surface 1 (outside)
 - Surface 2 (inside)
- Acid Etch Low Iron
(Velour finish is standard, typically surface 1)
 - Surface 1 (outside)
 - Surface 2 (inside)
- Clarvista Clear
 - Surface 2 (inside) always
- Clarvista Starphire
 - Surface 2 (inside) always
- Bronze
- Gray
- Niagara/Rain (only available in 3/8")
 - Surface 1 (outside)
 - Surface 2 (inside)
- Other: _____

Glass Thickness:

- 3/8" (10mm)
- 1/2" (12mm)
- Other: _____

Tempering Logo Placement:

- Logo
(please advise corner on each drawing)
- No Logo



Edgework:

- Polish all
- Polish 2 heights (vertical)
- Polish 2 widths (horizontal)
- Seam all
- Other, please specify by marking on drawing.

Options include: flat polish, flat grind, seamed & mitered. Please specify front of back, and degree of each miter on drawing.

Notes/Special Instructions:

- Please clarify any square or out of square (oos) corners.
- All drawings are shown from surface 1 (exterior of door).



Quantity: _____ Markings: _____

Purchaser Name: _____

Purchaser Address: _____

Quote Reference #: _____

Purchase Order #: _____

Job Name: _____

Quote

Order

Date: _____

Glass Type:

- Clear
- Low Iron
- Acid Etch Clear
(Velour finish is standard, typically surface 1)
 - Surface 1 (outside)
 - Surface 2 (inside)
- Acid Etch Low Iron
(Velour finish is standard, typically surface 1)
 - Surface 1 (outside)
 - Surface 2 (inside)
- Clarvista Clear
 - Surface 2 (inside) always
- Clarvista Starphire
 - Surface 2 (inside) always
- Bronze
- Gray
- Niagara/Rain (only available in 3/8")
 - Surface 1 (outside)
 - Surface 2 (inside)
- Other: _____

Glass Thickness:

- 3/8" (10mm)
- 1/2" (12mm)
- Other: _____

Tempering Logo Placement:

- Logo
(please advise corner on each drawing)
- No Logo



Edgework:

- Polish all
- Polish 2 heights (vertical)
- Polish 2 widths (horizontal)
- Seam all
- Other, please specify by marking on drawing.

Options include: flat polish, flat grind, seamed & mitered. Please specify front of back, and degree of each miter on drawing.

Notes/Special Instructions:

- Please clarify any square or out of square (oos) corners.
- All drawings are shown from surface 1 (exterior of door).



Quantity: _____ Markings: _____

Purchaser Name: _____

Purchaser Address: _____

Quote Reference #: _____

Purchase Order #: _____

Job Name: _____

Quote

Order

Date: _____

Glass Type:

- Clear
- Low Iron
- Acid Etch Clear
(Velour finish is standard, typically surface 1)
 - Surface 1 (outside)
 - Surface 2 (inside)
- Acid Etch Low Iron
(Velour finish is standard, typically surface 1)
 - Surface 1 (outside)
 - Surface 2 (inside)
- Clarvista Clear
 - Surface 2 (inside) always
- Clarvista Starphire
 - Surface 2 (inside) always
- Bronze
- Gray
- Niagara/Rain (only available in 3/8")
 - Surface 1 (outside)
 - Surface 2 (inside)
- Other: _____

Glass Thickness:

- 3/8" (10mm)
- 1/2" (12mm)
- Other: _____

Tempering Logo Placement:

- Logo
(please advise corner on each drawing)
- No Logo



Edgework:

- Polish all
- Polish 2 heights (vertical)
- Polish 2 widths (horizontal)
- Seam all
- Other, please specify by marking on drawing.

Options include: flat polish, flat grind, seamed & mitered. Please specify front of back, and degree of each miter on drawing.

Notes/Special Instructions:

- Please clarify any square or out of square (oos) corners.
- All drawings are shown from surface 1 (exterior of door).



Quantity: _____ Markings: _____

Purchaser Name: _____

Purchaser Address: _____

Quote Reference #: _____

Purchase Order #: _____

Job Name: _____

Quote

Order

Date: _____

Glass Type:

- Clear
- Low Iron
- Acid Etch Clear
(Velour finish is standard, typically surface 1)
 - Surface 1 (outside)
 - Surface 2 (inside)
- Acid Etch Low Iron
(Velour finish is standard, typically surface 1)
 - Surface 1 (outside)
 - Surface 2 (inside)
- Clarvista Clear
 - Surface 2 (inside) always
- Clarvista Starphire
 - Surface 2 (inside) always
- Bronze
- Gray
- Niagara/Rain (only available in 3/8")
 - Surface 1 (outside)
 - Surface 2 (inside)
- Other: _____

Glass Thickness:

- 3/8" (10mm)
- 1/2" (12mm)
- Other: _____

Tempering Logo Placement:

- Logo
(please advise corner on each drawing)
- No Logo


Edgework:

- Polish all
- Polish 2 heights (vertical)
- Polish 2 widths (horizontal)
- Seam all
- Other, please specify by marking on drawing.

Options include: flat polish, flat grind, seamed & mitered. Please specify front of back, and degree of each miter on drawing.

Notes/Special Instructions:

- Please clarify any square or out of square (oos) corners.
- All drawings are shown from surface 1 (exterior of door).



Quantity: _____

Markings: _____

Purchaser Name: _____

Purchaser Address: _____

Quote Reference #: _____

Purchase Order #: _____

Job Name: _____

Quote

Order

Date: _____

Glass Type:

- Clear
- Low Iron
- Acid Etch Clear
(Velour finish is standard, typically surface 1)
 - Surface 1 (outside)
 - Surface 2 (inside)
- Acid Etch Low Iron
(Velour finish is standard, typically surface 1)
 - Surface 1 (outside)
 - Surface 2 (inside)
- Clarvista Clear
 - Surface 2 (inside) always
- Clarvista Starphire
 - Surface 2 (inside) always
- Bronze
- Gray
- Niagara/Rain (only available in 3/8")
 - Surface 1 (outside)
 - Surface 2 (inside)
- Other: _____

Glass Thickness:

- 3/8" (10mm)
- 1/2" (12mm)
- Other: _____

Tempering Logo Placement:

- Logo
(please advise corner on each drawing)
- No Logo


Edgework:

- Polish all
- Polish 2 heights (vertical)
- Polish 2 widths (horizontal)
- Seam all
- Other, please specify by marking on drawing.

Options include: flat polish, flat grind, seamed & mitered. Please specify front of back, and degree of each miter on drawing.

Notes/Special Instructions:

- Please clarify any square or out of square (oos) corners.
- All drawings are shown from surface 1 (exterior of door).



Quantity: _____

Markings: _____

Purchaser Name: _____

Purchaser Address: _____

Quote Reference #: _____

Purchase Order #: _____

Job Name: _____

Quote

Order

Date: _____

Glass Type:

- Clear
- Low Iron
- Acid Etch Clear
(Velour finish is standard, typically surface 1)
 - Surface 1 (outside)
 - Surface 2 (inside)
- Acid Etch Low Iron
(Velour finish is standard, typically surface 1)
 - Surface 1 (outside)
 - Surface 2 (inside)
- Clarvista Clear
 - Surface 2 (inside) always
- Clarvista Starphire
 - Surface 2 (inside) always
- Bronze
- Gray
- Niagara/Rain (only available in 3/8")
 - Surface 1 (outside)
 - Surface 2 (inside)
- Other: _____

Glass Thickness:

- 3/8" (10mm)
- 1/2" (12mm)
- Other: _____

Tempering Logo Placement:

- Logo
(please advise corner on each drawing)
- No Logo



Edgework:

- Polish all
- Polish 2 heights (vertical)
- Polish 2 widths (horizontal)
- Seam all
- Other, please specify by marking on drawing.

Options include: flat polish, flat grind, seamed & mitered. Please specify front of back, and degree of each miter on drawing.

Notes/Special Instructions:

- Please clarify any square or out of square (oos) corners.
- All drawings are shown from surface 1 (exterior of door).



Quantity: _____

Markings: _____

Purchaser Name: _____

Purchaser Address: _____

Quote Reference #: _____

Purchase Order #: _____

Job Name: _____

Quote

Order

Date: _____

Glass Type:

- Clear
- Low Iron
- Acid Etch Clear
(Velour finish is standard, typically surface 1)
 - Surface 1 (outside)
 - Surface 2 (inside)
- Acid Etch Low Iron
(Velour finish is standard, typically surface 1)
 - Surface 1 (outside)
 - Surface 2 (inside)
- Clarvista Clear
 - Surface 2 (inside) always
- Clarvista Starphire
 - Surface 2 (inside) always
- Bronze
- Gray
- Niagara/Rain (only available in 3/8")
 - Surface 1 (outside)
 - Surface 2 (inside)
- Other: _____

Glass Thickness:

- 3/8" (10mm)
- 1/2" (12mm)
- Other: _____

Tempering Logo Placement:

- Logo
(please advise corner on each drawing)
- No Logo


Edgework:

- Polish all
- Polish 2 heights (vertical)
- Polish 2 widths (horizontal)
- Seam all
- Other, please specify by marking on drawing.

Options include: flat polish, flat grind, seamed & mitered. Please specify front of back, and degree of each miter on drawing.

Notes/Special Instructions:

- Please clarify any square or out of square (oos) corners.
- All drawings are shown from surface 1 (exterior of door).



Quantity: _____

Markings: _____

Purchaser Name: _____

Purchaser Address: _____

Quote Reference #: _____

Purchase Order #: _____

Job Name: _____

Quote

Order

Date: _____

Glass Type:

- Clear
- Low Iron
- Acid Etch Clear
(Velour finish is standard, typically surface 1)
 - Surface 1 (outside)
 - Surface 2 (inside)
- Acid Etch Low Iron
(Velour finish is standard, typically surface 1)
 - Surface 1 (outside)
 - Surface 2 (inside)
- Clarvista Clear
 - Surface 2 (inside) always
- Clarvista Starphire
 - Surface 2 (inside) always
- Bronze
- Gray
- Niagara/Rain (only available in 3/8")
 - Surface 1 (outside)
 - Surface 2 (inside)
- Other: _____

Glass Thickness:

- 3/8" (10mm)
- 1/2" (12mm)
- Other: _____

Tempering Logo Placement:

- Logo
(please advise corner on each drawing)
- No Logo

Edgework:

- Polish all
- Polish 2 heights (vertical)
- Polish 2 widths (horizontal)
- Seam all
- Other, please specify by marking on drawing.

Options include: flat polish, flat grind, seamed & mitered. Please specify front of back, and degree of each miter on drawing.

Notes/Special Instructions:

- Please clarify any square or out of square (oos) corners.
- All drawings are shown from surface 1 (exterior of door).